

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... OCT 5 1977
 Returned to applicant for correction..... MAR 6 1978
 Corrected application filed..... MAR 30 1978
 Map filed..... MAR 30 1978

The applicant..... Las Vegas Building Materials, Inc.
 601 W. Bonanza Rd., of Las Vegas
 Street and No. or P.O. Box No. City or Town
 Nevada 89106, hereby make application for permission to appropriate the public
 State and Zip Code No.
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorpora-
 tion; if a copartnership or association, give names of members.) January 1955 Nevada

1. The source of the proposed appropriation is..... underground
 Name of stream, lake or other source.
2. The amount of water applied for is..... one.....second-feet
 One second-foot equals 448.83 gals. per min.
 (a) If stored in reservoir give number of acre-feet.....acre-feet
3. The water to be used for..... commercial use
 Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:
 - (a) Irrigation (state number of acres to be irrigated).....
 - (b) Stockwater (state number and kinds of animals to be watered).....
 - (c) Other use (describe fully under "No. 12. Remarks").....processing of construction materials
 - (d) Power:
 - (1) Horsepower developed..... 50 hp
 - (2) Point of return of water to stream..... no return
5. The water is to be diverted from its source at the following point:..... within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ section
 3, T22S, R62E, MDB&M or SW corner of sec. 3 S 68° 31' 20" W for
 Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
 393.75 feet
 it should be stated.
6. Place of use..... North $\frac{1}{4}$ SE $\frac{1}{4}$ Sect. 35, T21S, R62E, see map
 Describe by legal subdivision, if on unsurveyed land it should be so stated.
7. Use will begin about..... January 1..... and end about..... December 31....., of each year.
 Day and Month Day and Month
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... pump and pipeline

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$20,000.00
10. Estimated time required to construct works.....2 years
11. Estimated time required to complete the application to beneficial use.....3 years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

.....Estimated annual use of 37 million gallons. The well water
.....does not comply with water quality standards adopted by the
.....Clark County Health District and State Board of Health.

Applicant Las Vegas Building Materials, Inc.

By s/ R.N. Hall
R.N. Hall - President
Compared 1p/ga P.O. Box 530
Las Vegas, Nevada 89101

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

.....This permit is issued subject to existing rights and is further
.....subject to revocation if and when water can be furnished by an entity
.....such as a water district or a municipality engaged in furnishing water.
.....A totalizing meter must be installed in the discharge pipeline, near the
.....point of diversion, and accurate measurements must be kept of water
.....placed to beneficial use. It is understood that this right must allow
.....for a reasonable lowering of the static water level. The well shall be
.....equipped with a 2-inch opening for measuring depth to water. If the
.....well is flowing, a valve must be installed and maintained to prevent
.....waste. This source is located within an area designated by the State
.....Engineer pursuant to NRS 534.030. The State retains the right to re-
.....gulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.0 cubic feet per second, but not to exceed 37.0 million gallons annually.

Actual construction work shall begin on or before May 2, 1979

Proof of commencement of work shall be filed before June 2, 1979

Work must be prosecuted with reasonable diligence and be completed on or before May 2, 1980

Proof of completion of work shall be filed before June 2, 1980

Application of water to beneficial use shall be made on or before May 2, 1982

Proof of the application of water to beneficial use shall be filed on or before June 2, 1982

Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed..... IN TESTIMONY WHEREOF, I.....ROLAND D. WESTERGARD
Completion of work filed..... State Engineer of Nevada, have hereunto set my hand and the seal of
Proof of beneficial use filed..... my office, this 2nd day of November

Cultural map filed.....

Certificate No..... Issued..... A.D. 19 78

Recorded..... Bk..... Page..... JUL 22 1980

CANCELLED

OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMITS

William J. Gorman STATE ENGINEER